
## PRODUCT GUIDE

VERSION NR. 01.12



www.putoline.com



	4
	6
	9
	10
	11
1.	
11	
12	
15	
18	

## WEBSITE

Only the right product prevents problems: Always check www.putoline.com for professional lubricant advice!

Pulling a tin of oil just like that from the shelve and expecting that by chance, the oil is suitable for your application is no longer altogether true. Technically too many things have changed, e.g. engines become more powerful and fuel consumption and emission levels have to be minimised. This has a large impact on the lubricants industry, since new technological developments often as for new specially developed lubricants. Lubricants have become "construction parts". Using the right lubricant is more important than ever!

Disclaimer:

No rights may be derived from the content of this brochure. Changes in product assortment, technical information and typing errors are reserved.

### 4 - STROKE





## NANO TECH 4+

A 100% synthetic A 100% synthetic 4-stroke engine oil 4-stroke competition containing Putoline Oil's revolutionary Nano Putoline Oil's "pure Tech additive system. Suitable for extreme race system. conditions.



5W40, 10W40, 10W50, 15W50

Specifications: JÁSO MA2, API SL



#### **ESTER TECH** SYNTEC 4+

engine oil containing bike" Ester Tech additive



Semi-synthetic 4-stroke road and touring motorcycle engine oil with Technomoto additive system



## **SUPER DX 4**

Semi-synthetic 4-stroke engine oil for road going motorcycles



# **V-TWIN**

Semi-synthetic 4-stroke V-Twin engine oil with Technomoto additive system



#### **ESTER TECH RS** 959

100% synthetic injector and pre-mix 2-stroke oil for road and off road motorcycles with "pure bike" Ester Tech\_and MRH additive system



## TTX INJECTOR

100% synthetic injector and pre-mix 2-stroke oil for road motorcycles



## Synthetic injector and

Synthetic injector and pre-mix 2-stroke oil for road motorcycles



TT LIGHT

Available packaging: 1L, 4L, 20L & 60L

Specifications: JASO FD/API TC/TISI

Available viscosities:

Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 10W30, 10W40, 10W50, 10W60, 1.5W.50

Specifications: IASO MA2, API SI

Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 10W40, 15W50, 20W50

Specifications: IASO MA2. API SI Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 10W40, 20W50

Specifications: IASO MA. API SG Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 20W50

Specifications: IASO MA, API SG Available packaging:

Specifications: JASO FD/API TC+/ ISO-L-EGD/TISI/Piaggio Hexagon

Available packaging: 1L, 20L & 60L

Specifications: JASO FD/API TC+/ ISO-L-EGD/TISI/Piaggio Hexagon

Available packaging: 125ml, 1L, 4L, 20L & 60L

Specifications: JÁSO FD/API TC/TISI



















## **GEAR OILS**



**RACING OIL** 

Pure finest quality castor 2-stroke oil Can be for competitive Grand mixed with high octane racing fuel, methanol, nitromethane as well as conventional fuel additive system

Available packaging: 1L & 20L



NANO TRANS GP RS 75

Synthetic transmission oil Prix 2-stroke and 4-stroke containing Putoline Oil's revolutionary Nano Tech

Available packaging: Available packaging:

Available viscosities: 7.5W

Specifications: API GI-1 - 3



100% synthetic

Available viscosities:

75W80

Specifications:

API GI-4/5

Synthetic, high quality motorcycle off road and Total Drive Line agar oil, for gearbox, final racing gearbox oil drive and differential of modern motorcycles (road & off road).

Available packaging:

scooters and quads.

**SP GEAR OIL** 

Available viscosities: 75W90

Specifications: API GL-3/4/5



**GEAR HEAVY EXTRA** 

High quality gear oil utilising EP (extreme pressure) additives, recommended for all shaft drive units where SAE 84W140 is specified

Available packaging:

Available viscosities: 85W140

Specifications: API GI-5 / Mil-2105D



**GP 10 & GP 80** 

Motorcycle off road and racina aearbox oil

Available packaging:

Available viscosities: 75W (GP 10) & 80W (GP 80)

1L, 4L(GP 10), 20L, 60L

Specifications: API GL-4

& 200L



**GEAR LIGHT &** MEDIUM

Mineral motorcycle road Mineral motorcycle and off road gearbox oil final-drive oil

Available packaging: 1L, 4L(Light), 20L & 60L

Available viscosities: 75W (Light) & 80W (Medium)

Specifications: API GI-1



**GEAR HEAVY** 

Available viscosities:

80W90

API GI-5

Specifications:

Special blend motorcycle racing front fork oil

Available packaging: Available packaging: 1L, 20L, 60L & 200L 1L, 20L, 6OL & 200L

> Available viscosities: 2.5, 5, 7.5 & 10

**FORMULA GP** 





## 2 OFF ROAD

### **SUSPENSION FLUIDS**



### 2 - STROKE



**HPX** 



GPR 6



FORK OIL LIGHT. MEDIUM&HEAVY



OFF ROAD NANO TECH 4+



**ESTER TECH OFF ROAD 4+** 



**OFF ROAD 4** 



**SPEEDWAY BLUE** 



**ESTER TECH MX9** 



MX 7

Synthetic front fork oil

Synthetic rear shock absorber oil

Mineral front fork oil

A 100% synthetic 4-stroke engine oil containing Putoline Oil's revolutionary Nano Tech additive system. Suitable for extreme conditions.

A 100% synthetic 4-stroke off road motorcycle engine oil containing Putoline Oil's "pure bike" Ester Tech additive system.

Synthetic 4-stroke off road motorcyle engine oil with Technomoto additive system

Pure finest auality castor 4-stroke speedway oil. Mixable with high octane racing fuel, methanol, nitromethane and conventional fuel

Available packaging:

100% synthetic 2-stroke pre-mix off road motorcycle oil with "pure bike" Ester Tech and MRH additive system

100% synthetic 2-stroke pre-mix off road motorcycle oil with MRH additive system

Available packaging: 1L, 20L & 60L

Available viscosities: 2.5, 5, 7.5, 10, 15, 20 & 30

Available packaging: 11, 201, 601 & 2001

Available viscosities: 2.5 & 3.5

Available packaging: 500ml & 201

Available viscosities: SAE 5 (Light), 10 (Medium) & 20 (Heavy) Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 10W40, 10W50, 10W60, 15W50

Specifications: IASO MA2, API SI Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 10W40, 10W50, 10W60, 15W50

Specifications: IASO MA2, API SI Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 10W40, 10W60, 15W50

Specifications: JASO MA2, API SL Available packaging: 11 & 201

Specifications: JASO FD/API TC+/ ISO-L-EGD

Available packaging: 125ml, 1L, 4L, 20L & 60L

Specifications: API TC+/ISO-L-EGD

















### **GEAR OILS**



### **TT TRIAL PRO SCENTED**

Synthetic 2-stroke oil for competition trial bikes. A strawberry sented pre-mix oil with MRH

oil with MRH additive additive system system

MX 5

Synthetic 2-stroke oil

motorcycles. Pre-mix

for competition off road

Available packaging: Available packaging: 1L, 4L & 2OL

Specifications: Specifications: JASO FD/API TC/TISI API TC/ JASO FD

NANO TRANS GP RS 75

Synthetic transmission oil for competitive Grand Prix 2-stroke and 4-stroke racing gearbox oil containing Putoline Oil's revolutionary Nano Tech additive system

Available packaging:

Available packaging:

100% synthetic

motorcycle off road and

Available viscosities: Available viscosities: 7.5W 75W80

Specifications: Specifications: API GL-4/5



**SP GEAR OIL** 

Synthetic, high quality Total Drive Line agar oil, for gearbox, final drive and differential of modern motorcycles (road & off road). scooters and guads.

Available packaging:

Available viscosities: 75W90

Specifications: API GL-3/4/5



**GP 10 & 80** racina aearbox oil

& 200L

(GP 80)

Specifications: API GI-4

Available viscosities:

**MEDIUM** Motorcycle off road and

Mineral motorcycle road Mineral motorcycle and off road gearbox oil final-drive oil

**GEAR LIGHT &** 

**GEAR HEAVY** 

Mineral motorcycle off road aearbox oil

Available packaging: Available packaging: 1L, 4L(GP 10), 20L, 60L 1L, 4L(Light), 20L & 60L

Available viscosities: 75W (Light) & 80W 75W (GP 10) & 80W (Medium)

> Specifications: API GI-1

Available packaging: 1L, 20L, 6OL & 200L

Available viscosities: 80W90

Specifications: API GI-5



Available packaging: 1L, 20L & 60L

Specifications: Dexron IID







API GI-1 - 3

## **SUSPENSION FLUIDS**

### **AIRFILTER MAINTENANCE**



**FORMULA GP** 



**HPX** 



GPR 6



**ACTION KIT** 



**ACTION FLUID** 



BIO



**ACTION CLEANER** 



**ACTION CLEANER** BIO



**3L PREP-BUCKET** 

Special blend motorcycle Synthetic front fork oil racing front fork oil

Synthetic rear shock absorber oil

Contains all products required to cleans and pre-oil foam filters

Worlds #1 genuine foam air filter oil

Worlds #1 genuine biodegradable foam air filter oil

Fast acting in water soluble foam air filter cleaner

Fast acting in water soluble biodegradable foam air filter cleaner

Plastic prep-bucket complete with lit. 3 liters

Available packaging: 1L, 20L, 60L & 200L

2.5, 5, 7.5 & 10

Available packaging: 1L, 20L & 60L

Available viscosities: 2.5, 5, 7.5, 10, 15, 20 & 30

Available packaging: 1L, 20L, 60L & 200L

Available viscosities: 2.5 & 3.5

Available packaging: Kit contents: 1x 10L Action Cleaner prepbucket, 1x air filter rack, 1x 4L Action Cleaner, 5x gloves, 1x 3L Action Fluid prep-bucket, 1x 1L Action Fluid, 1x 10 gram Ceramic Grease

Available packaging: 600ml & 11

Available packaging: 600ml & 1L

Available packaging: 600ml, 1L, 4L & 60L Available packaging:

Available viscosities:







#### 4 - STROKE

## 2-STROKE



**10L PREP-BUCKET ESTER TECH SCOOTER 4T+** 

Plastic prep-bucket complete with lit. 10 liters



100% synthetic 4-stroke scooter engine oil containing Putoline Oil's "pure bike" Ester Tech additive system



(TECHNO)

Synthetic 4-stroke scooter engine oil with Technomoto additive system



**SCOOTER 4T** 

Semi-synthetic 4-stroke scooter engine oil



**ESTER TECH RS** 959

100% synthetic injector and pre-mix 2-stroke scooter oil with "pure bike" Ester Tech and MRH additive system



TT SCOOTER +

100% synthetic injector and pre-mix 2-stroke scooter oil



#### TT SCOOTER + **SCENTED**

100% synthetic injector and pre-mix 2-stroke scooter oil with strawberry essence



TT SCOOTER

Synthetic low smoke injector and pre-mix 2-stroke scooter oil



TT SCOOTER **SCENTED** 

Synthetic low smoke injector and pre-mix 2-stroke scooter oil with strawberry essence

Available packaging: 125ml, 1L, 4L, 20L, 60L & 200L

Available viscosities: 5W40

Specifications: IASO MA2, API SI Available packaging: 1L, 4L, 20L, 60L & 200L

Available viscosities: 5W40

Specifications: IASO MA, API SG Available packaging: 11, 41, 201, 601 & 2001

Available viscosities: 10W40

Specifications: IASO MA

Available packaging:

Specifications: JASO FD/API TC+/ ISO-L-EGD/TISI/Piaggio Hexagon

Available packaging: 1L, 4L, 20L, 60L & 200L

Specifications: JASO FD/API TC+/ ISO-L-EGD/TISI/Piaggio Hexagon

Available packaging:

Specifications: JASO FD/API TC+/ ISO-L-EGD/TISI/Piaggio Hexagon

Available packaging: 125ml, 500ml, 1L, 4L, 20L, 60L & 200L

Specifications: JASO FD/API TC/TISI Available packaging: 1L, 4L & 20L

Specifications: JASO FD/API TC/TISI





















### 2-STROKE

## **GEAR OILS**

## SUSPENSION FLUIDS

#### 4-STROKE



**TT LIGHT** 



Synthetic injector and pre-mix 2-stroke oil for road motorcycles



Specifications: JASO FD/API TC/TISI



Synthetic 2-stroke oil for classic and modern scooters with Putoline Oils "pure bike" Ester Tech additive system. Toolbox size hottle!

Available packaging:



**SPECIAL** 

**SCOOTER GEAR** 

75W90

Specifications: API GI-5



**SCOOTER GEAR OIL SAE 30 & SAE 90** 





SPECIAL MOPED **GEAR OIL** 

Mineral moped agar oil



**HPX** 

20 & 30

Synthetic front fork oil



**FORK OIL LIGHT,** MEDIUM&HEAVY

Mineral front fork oil



**ESTER TECH** 



Synthetic 4-stroke auad engine oil with Technomoto additive system

**QUAD RF 4** 

Specifications: API TC, JASO FD, ISO-LEGD

Available packaging:

Available viscosities:

Available packaging: 500ml 11 & 201

Available viscosities: SAE 30 & 90

Specifications: API SF/CC for SAE 30 API GI-1 for SAF 90

Available packaging: 500ml

Available viscosities: 10W30

Specifications: APLSE/CC

Available packaging: Available packaging: 1L, 20L & 60L 500ml & 201

Available viscosities: Available viscosities: 2.5, 5, 7.5, 10, 15, SAE 5 (Light), 10 (Medium) & 20 (Heavy) Available packaging: 11 & 201

Available viscosities: 10W40

Specifications: IÁSO MA2/API SI Available packaging: 11 & 201

Available viscosities: 10W40

Specifications: IASO MA2/API SI



















auad enaine oil



SP GEAR OIL



Available viscosities:

75W90

Specifications:

API GI-3/4/5

Available packaging: Available packaging: 11 & 41

Available viscosities: 1.5W40

Specifications: API SJ/CH 4



**GEAR HEAVY EXTRA** 



Available packaging:

Available viscosities: 85W140

Specifications: API GI-5 / Mil-I-2105D



**ESTER TECH RS** 959



Available packaging:

Specifications: JASO FD/API TC+/ ISO-L-EGD/TISI/Piaggio Hexagon



**KART TECH 2** 

Synthetic 'top competition' pre-mix 2-stroke kart oil





KART 2

Pure finest quality castor pre-mix 2-stroke oil with additives

Available packaging:



Available packaging:

Available viscosities: 0W40

Specifications: IASO MA/API SI



SNOW 4T+





TT AQUA

Synthetic injector and

Available packaging:

API TC+/NMMA BIA

1L, 20L & 60L

Specifications:

TCW-3

pre-mix 2-stroke jetski oil



**CHAIN WAX** 

Traditional chain cleaner & lubricant with graphite for non O-ring (open MX) chains



Available viscosities:

NIGI 4









## **CLEANERS & DEGREASERS**



### DESERT CHAINLUBE PTFE

Sand repellant rally raid racing chain lube provides protective coating and non-fling finish. For standard, O-ring & X-ring chains

Available packaging: 750ml aerosol



SPRAY

Ceramic grease/wax based chain lubricant in aerosol, for O-ring and X-ring chains

Available packaging:

500ml gerosol



Sunthatia ahain luhriasu

Synthetic chain lubricant in aerosol for O-ring & X-ring chains

Available packaging:

500ml gerosol



DX 11 SPRAY

Synthetic chain lubricant in aerosol for open MX-chains

Available packaging:

500ml gerosol



CHAIN&ENGINE DEGREASER

Fast acting water soluble degreaser removes heavy oil and grease deposits from chain, sprockets, engine parts and frame

Available packaging: 500ml aerosol & 1L tin



DIRT BIKE SUPER CLEANER

Highly concentrated biodegradable off road bike cleaner, removes mud, sand, grease and general grime from plastic and metal parts

Available packaging: 1L trigger bottle, 4L, 20L & 200L



## CONTACT CLEANER SPRAY

Cleans and degreases spark plugs, contact breakers and electrical components

Available packaging:

500ml gerosol



suitable for the most sensitive surfaces

Available packaging: 1L & 5L



BRAKE CLEANER SPRAY

Strong fast acting spray for cleaning and degreasing for all brake parts, such as master cylinders, callipers and disks

Available packaging: 500ml aerosol & 25L







solvents removes varnish

and gum deposits from

choke valves, needle

valves and jets



A complex mix of special Multi-purpose strong penetrating lubricant and protection spray that displaces water and protects all metal parts against corrosion

Available packaging:

500ml aerosol

Available packaging: 500ml gerosol



**SILICON SPRAY** 

Restores colour to showroom-like finish to a wide variety of plastics and painted surfaces and revitalises rubber parts

> Available packaging: 500ml gerosol



**PTFE CABLE GUARD** 

Multi purpose high performance lubricant. It provides long-term lubrication even under extreme pressure and heavy load

Available packaging: 500ml aerosol



**HYDRAULIC CLUTCH FLUID** 

Mineral hydraulic oil with additives to provide good clutch lever response under all circumstances

Available packaging: 100ml



**COOLANT NF** 

New generation organic coolant suitable for modern cooling systems. Safe for rubber, plastic, metals

Available packaging: 1L, 4L, 20L, 60L & 200L

Silicate free coolant with nanotechnology and Mono Propylene Glycole. Prevents engine overheating and reduces operating temperatures

**ICE COOLER** 

Available packaging:

Suitable acid for all battery initial filling

Available packaging:

**BATTERY ACID** 

Protects against all metal and plastic

PPF-52

corrosion and revitalizes parts

Available packaging: 500ml aerosol



**POLISHES GREASES BRAKE FLUIDS FUEL ADDITIVES** 



**RS1 WAX POLISH SPRAY** Silicon free foam wax

polish with carnauba

lasting deep shine to all

wax creates a long

painted surfaces

A blue coloured special high quality EP2 lithium complex grease. It has excellent mechanical stability and is waterproof.

**RACING GREASE** 



Available packaging: 600gr

Specifications: N.L.G.I. 2, DIN 51502 KP2N-30



WHITE ACTION **GREASE + PTFE** 

A universal, colourless lubricant with special PTFE additives. Suitable for e.g. wheel bearings and axles

Available packaging: 600gr

Specifications: N.L.G.I. 2, DIN 51502 KP2N-20



**CERAMIC GREASE** 

An extremely high auality anti-seize paste and high temperature, high pressure lubricant.

Available packaging: 600gr

> Specifications: SAE J 1703, ISO 4925, FMVSS 116 DOT 4

Available packaging:

Ultimate Racina Brake

Fluid for motorcycle

competition use. Dry

boiling point: > 315

DOT 4 and DOT 5.1 is

°C. Suitable when

recommended

500 ml



**DOT 5.1 BRAKE FLUID** 

Synthetic racina and high performance brake fluid with dry boiling point of 265°C

Available packaging: 500 ml

Specifications: SAE J 1704, ISO 4925, FMVSS 116 DOT 5.1



**DOT 4 BRAKE FLUID** 

Synthetic high performance brake fluid with dry boiling point of 260°C

Available packaging: 500 ml & 11

Specifications: SAE J 1703, ISO 4925, FMVSS 116 DOT 4



**DOT 5 SILICON BRAKE FLUID** 

Silicon racina and high performance brake fluid with dry boiling point of 265°C. Suitable where a silicon brake fluid is specified

Available packaging:

500 ml



Specifications: SAE J 1703F, ISO 4925, FMVSS 116 DOT 5, MII-B-46176





**FUEL** 

Cleans, protects and lubricates the complete fuel system, removes deposits from carburettors, injectors. valves and combustion chambers

Available packaging: 325 ml



## **LEATHER TREATMENT**



**FUEL STABILIZER** 



**FUEL INJECT & VALVE CLEANER** 



Available packaging:

Available packaging: 325 ml

for long periods



Lead-free octane improver that increases engine efficiency, optimises combustion performance and horsepower output

Available packaging:



**OCTANE BOOSTER** 



**LEATHER WAX** 



**HAND CLEANER** 



**SUNCREAM** 

Suncream, SPF 25.



**STICKERS** 



**POLO SHIRT** 

XI & XXI



**RACE OVERALL** 

Prevents the forming of fum and varnish (petrol oxidation) when storing your motorcycle or quad

325 ml

Available packaging: 200gr

Protects and revitalises all coloured and noncoloured leathers old or new

A lemon scented hand cleaner that removes all types of grease, oil and dirt without damaging vour skin

Available packaging: 600gr & 4.5KG

Available packaging:

Various dimensions of

high quality stickers for road bikes and special strong adhesive thick material for off road

Available in diamond

and strap forms

High quality, trendy sports shirt

High quality navy blue race overall with Putoline Oil logos on chest and one leg

Available sizes: S, M, L, Available sizes: S, M, L, XL

## **9 ACCESSOIRIES**





fleece lining

Comfortable jacket with



**GP RACE CAP** 

Top quality cotton cap



**WINDOW LIGHT** 

Illuminated internal shop

sign (220V)



Large blue and yellow banner constructed of paper and fabric type material. Ideal for shows advertising and showrooms



Large blue and fluorescent vellow banner, ideal for track



**BANNER** Large blue and fluorescent yellow banner with START and FINISH displayed, ideal for motocross events



**PIT FLAGS** 



Robin Putoline Robins Putoline Modes Putoline TRACK TAPE

Blue and yellow flag with High quality track tape diamond loao

Bertoni sport glasses. represent the latest technology for material, protection, visual comfort

and design.

Available sizes: S, M, L, XL(men) / XS, S, M(women)

Available size: One size fits all

Available dimensions: 100 x 500cm

Available dimensions: 80 x 690cm

Available dimensions: 80 x 590cm

Available dimensions: 100 x 150cm

Available dimensions: 250m

Available size: One size fits all













mat



Putoline Oil keycord

Point-of-sale display for exhibition or use in the showroom



**ROLL UP DISPLAY** 

Roll up display for

display

exhibition or use in the

showroom, picturing the

Putoline Oil point-of-sale

**ROLL UP DISPLAY** 

Roll up display for

exhibition or use in the

women: We want you...

showroom, picturing

Extremely strong, high quality beach flag to decorate your event

**MECHANICS MAT** 

FIM-approved mechanics Putoline Oil plastic carrier bag

Available sizes: 84 x 220cm

Available sizes: 84 x 220cm

Available dimensions: 75 x 314cm

Available dimensions: 200 x 100cm

## 10 SYMBOLS



#### NANO TECH ADDITIVE SYSTEM

Putoline Oil Nano Tech motorcycle oils, Road and Off Road, are based on the latest revolutionary technology: Nanotechnology. Putoline Oil has taken the next step in lubrication technology by introducing this new product line. Nano Tech motor oils offer guarantee full commander of lutch friction materials and provide unparalleled clutch engagement. It also guarantees outstanding wear protection for the engine and transmission, even under demanding roccel conditions.



#### ESTER TECH ADDITIVE SYSTEM

Putoline Oil Ester Tech motorcycle oils are developed especially for modern high-performance motorcycles, Road and Off Road. The Ester Tech Technology, developed and tested successfully in close cooperation with renowned racing learns, ensures a tremendously strong oil film, improved transmission and motor protection, exceptionally good "stay in grade" features and extremely low oil consumption. Because of the constant temperature features and the improved additives pockage, wear and tear is prevented more efficiently, even during critical cold starts.



#### TECHNOMOTO ADDITIVE SYSTEM

Technomoto Additive System is the first 4-stroke motor oil technology introduced by Putoline Oil. Motorcycle engines faced a lot of problems being lubricated by "normal" automotive motor oils, like "clutch slip", cam lobe pitting" and excessive "gear train wear". The pure bike Technomoto Additive Technology was and still is the solution for these problems.



#### MRH ADDITIVE SYSTEM

In addition to Technomoto, Putoline Oil introduced the 2-stroke MRH Additive System. The main purpose of this Additive system is more power, cleaner-more efficient burning and exceptional engine protection. MRH Additive System also guarantees high rev and temperature stability, exceptional film and shear strength, reduction in fuel consumption, no deposit build up on piston rings, power valve and exhaust system, excellent throttle response (even in wet conditions), long term optimised engine reliability and improved starting quality. MRH is race proven in lubricant technology. We borrowed the initials MRH in memory and out of respect for Mark Richard Hood, Managing Director of Putoline Distribution Ltd. (UK) and Director of Putoline Oil B.V. (Holland). Mark died 28 April 2001 enjoying one of the things he loved most: riding bikes. Mark, you will always be in our minds!



#### THE PREMIERE SELECTION

The Putoline Oil Premiere logo defines the product as the very best in its range. It signifies Putoline Oil's outstanding attention to detail in product development, production techniques and consumer focus. These are the highest quality products in the range.



#### THE BIODEGRADABLE SELECTION

The Biodegradable selection logo defines those products that are biodegradable and therefore have the ability to break down safely and relatively quickly, by biological means, into the raw materials of nature and disappear into the environment.



#### STRAWBERRY SCENTED

Has the world gone completely mad?

Strowberry scented 2-stroke oil? This logo stands for unparalleled engine protection by utilising special synthetic additives distinguished by its totally unique strawberry fragrance. Heads will turn when you pass on the street; all of a sudden there is a breath of fresh air.

Putoline Oil P.O. Box 149 - 7600 AC Almelo - The Netherlands Tel.: +31 (0)546 - 818165 - info@putoline.com